ELSEVIER

Brain Research 652 (1994) 357–359

BRAIN RESEARCH

Author Index

Abbott, N.J., see Revest, P.A. (652) 76
Adamson, S.L., see Tai, T.-C. (652) 28
Aimi, Y., see Yasuhara, O. (652) 346
Akira, T., Henry, D. and Wasterlain, C.G.
Nitric oxide mediates the sustained opening of NMDA receptor-gated ionic channels which follows transient excitotoxic exposure in hippocampal slices (652) 190
Amir, S., Robinson, B. and Woodside, B.
Induction of Fos protein in the piriform cortex after brain injury in pentobarbital-anaesthetized rats: lack of effect of lactation (652) 341
Ang, L.-C., see Rees, H. (652) 113
Arai, R., see Horiike, K. (652) 297
Araki, T., see Kato, H. (652) 71
Aran, J.-M., see Smith, D.W. (652) 243

Baran, H., Löscher, W. and Mevissen, M.
The glycine/NMDA receptor partial agonist D-cycloserine blocks kainate-induced seizures in rats. Comparison with MK-801 and diazepam (652) 195
Beaudet, A., see Schipper, H.M. (652) 161
Begley, H., see Rees, H. (652) 113
Bettendorff, L., Hennuy, B., De Clerck, A. and Wins, P.
Chloride permeability of rat brain membrane vesicles correlates with thiamine triphosphate content (652) 157
Bischof, H.-J., see Engelage, J. (652) 17
Blasco-Ibáñez, J.M., Martínez-Guijarro, F.J. and López-García, C.
Changes in GABA and parvalbumin immunoreactivities in the cerebral cortex of lizards after narine occlusion (652) 334
Bonaz, B. and Taché, Y.
Induction of Fos immunoreactivity in the rat brain after cold-restraint induced gastric lesions and fecal excretion (652) 56
Brawer, J.R., see Schipper, H.M. (652) 161

Campbell, I.L., see Steffensen, S.C. (652) 149
Castillo-Meléndez, M., Krstew, E., Lawrence, A.J. and Jarrott, B.
Presynaptic adenosine A_{2a} receptors on soma and central terminals of rat vagal afferent neurons (652) 137
Ceriani, G., see Watanabe, T. (652) 201
Cho, B.N., Seong, J.Y., Cho, H. and Kim, K.
Progesterone stimulates GnRH gene expression in the hypothalamus of ovariectomized, estrogen treated adult rats (652) 177
Cho, H., see Cho, B.N. (652) 177
Clark, W.G., see Watanabe, T. (652) 201
Cravo, S.L., see Morrison, S.F. (652) 83

Davis, J.B. and Maher, P.
Protein kinase C activation inhibits glutamate-induced cytotoxicity in a neuronal cell line (652) 169
De Bruin, J.P.C., Sànchez-Santed, F., Heinsbroek, R.P.W., Donker, A. and Postmes, P.
A behavioural analysis of rats with damage to the medial prefrontal cortex using the morris water maze: evidence for behavioural flexibility, but not for impaired spatial navigation (652) 323
Dechesne, C.J., see Rabejac, D. (652) 249
De Clerck, A., see Bettendorff, L. (652) 157
Dengler, K., see Xie, Y. (652) 216
Desjardins, G.C., see Schipper, H.M. (652) 161
Donker, A., see De Bruin, J.P.C. (652) 323

Endo, Y., see Takei, N. (652) 65
Engelage, J. and Bischof, H.-J.
Visual wulst influences on flash evoked responses in the ectostriatum of the zebra finch (652) 17
Erre, J.-P., see Smith, D.W. (652) 243

Faull, R.L.M., see Nicholson, L.F.B. (652) 40
Fernley, R.T., see Shafton, A.D. (652) 129
Freeman, A.S., see Zhang, J. (652) 154

Gale, K., see Halonen, T. (652) 145
George, D.H., see Rees, H. (652) 113
Givalois, L., see Siaud, P. (652) 273
Gould, T.J. and Steinmetz, J.E.
Multiple-unit activity from rabbit cerebellar cortex and interpositus nucleus during classical discrimination/reversal eyelid conditioning (652) 98
Gratton, A., see Kiyatkin, E.A. (652) 225
Guerra, M.J., see Labandeira-Garcia, J.L. (652) 87

Halonen, T., Tortorella, A., Zrebeet, H. and Gale, K.
Posterior piriform and perirhinal cortex relay seizures evoked from the area tempestas: role of excitatory and inhibitory amino acid receptors (652) 145
Harlan, R.E., see Huang, X. (652) 291
Heale, V.R. and Vanderwolf, C.H.
Dentate gyrus and olfactory bulb responses to olfactory and noxious stimulation in urethane anaesthetized rats (652) 235
Heinsbroek, R.P.W., see De Bruin, J.P.C. (652) 323
Hennuy, B., see Bettendorff, L. (652) 157
Henriksen, S.J., see Steffensen, S.C. (652) 149
Henry, D., see Akira, T. (652) 190
Hertzberg, E.L., see Hossain, M.Z. (652) 311
Hori, K., Katayama, M., Sato, N., Ishii, K., Waga, S. and Yodoi, J.
Neuroprotection by glial cells through adult T cell leukemia-derived factor/human thioredoxin (ADF/TRX) (652) 304
Hori, T., see Katafuchi, T. (652) 164
Horiike, K., Tojo, H., Arai, R., Nozaki, M. and Maeda, T.
D-Amino-acid oxidase is confined to the lower brain stem and cerebellum in rat brain: regional differentiation of astrocytes (652) 297
Hoshi, Y., Mizukami, S. and Tamura, M.
Dynamic features of hemodynamic and metabolic changes in the human brain during all-night sleep as revealed by near-infrared spectroscopy (652) 257
Hossain, M.Z., Peeling, J., Sutherland, G.R., Hertzberg, E.L. and Nagy, J.I.
Ischemia-induced cellular redistribution of the astrocytic gap junctional protein connexin43 in rat brain (652) 311
Hrabovszky, E. and Liposits, Zs.
Galanin-containing axons synapse on tyrosine hydroxylase-immunoreactive neurons in the hypothalamic arcuate nucleus of the rat (652) 49
Huang, X. and Harlan, R.E.
Androgen receptor immunoreactivity in somatostatin neurons of the periventricular nucleus but not in the bed nucleus of the stria terminalis in male rats (652) 291

Ishii, K., see Hori, K. (652) 304
Itoyama, Y., see Kato, H. (652) 71
Ixart, G., see Siaud, P. (652) 273

Jaffard, R., see Marighetto, A. (652) 120
Jarrott, B., see Castillo-Meléndez, M. (652) 137
Jones, H.C., see Revest, P.A. (652) 76

Katafuchi, T., Okada, E., Take, S. and Hori, T.
The biphasic changes in splenic natural killer cell activity following ventromedial hypothalamic lesions in rats (652) 164
Katayama, M., see Hori, K. (652) 304
Kato, H., Kogure, K., Liu, Y., Araki, T. and Itoyama, Y.
Induction of NADPH-diaphorase activity in the hippocampus in a rat model of cerebral ischemia and ischemic tolerance (652) 71
Kim, K., see Cho, B.N. (652) 177
Kiyatkin, E.A. and Gratton, A.
Electrochemical monitoring of extracellular dopamine in nucleus accumbens of rats lever-pressing for food (652) 225
Kogure, K., see Kato, H. (652) 71
Krstew, E., see Castillo-Meléndez, M. (652) 137
Kuzmin, A.V., Patkina, N.A. and Zvartau, E.E.
Analgesic and reinforcing effects of morphine in mice. Influence of Bay K-8644 and nimodipine (652) 1

Labandeira-Garcia, J.L. and Guerra, M.J.
Cortical stimulation induces fos expression in intrastriatal striatal grafts (652) 87
Lawrence, A.J., see Castillo-Meléndez, M. (652) 137
Leong, S.-K., see Ruan, R.-S. (652) 350
Liposits, Zs., see Hrabovszky, E. (652) 49
Lipton, J.M., see Watanabe, T. (652) 201
Liu, Y., see Kato, H. (652) 71
López-García, C., see Blasco-Ibáñez, J.M. (652) 334
Löscher, W., see Baran, H. (652) 195
Lu, X., Skamene, E. and Richardson, P.M.
Studies of axonal regeneration in C57BL/6J and A/J mice (652) 174
Luiten, P.G.M., see Van der Zee, E.A. (652) 263

MacLusky, N.J., see Tai, T.-C. (652) 28
Maeda, N., Matsuoka, N. and Yamaguchi, I.
Possible involvement of the septo-hippocampal cholinergic and raphe-hippocampal serotonergic activations in the penile erection induced by fenfluramine in rats (652) 181
Maeda, T., see Horiike, K. (652) 297
Maher, P., see Davis, J.B. (652) 169
Marighetto, A., Jaffard, R. and Micheau, J.
Effects of intraseptally injected noradrenergic drugs on hippocampal sodium-dependent-high-affinity-choline-uptake in 'resting' and 'trained' mice (652) 120
Martínez-Guijarro, F.J., see Blasco-Ibáñez, J.M. (652) 334
Matsuoka, N., see Maeda, N. (652) 181
Maurel, D., see Siaud, P. (652) 273
McAllen, R.M., see Shafton, A.D. (652) 129
McConnell, T., see Rees, H. (652) 113
McGeer, E.G., see Yasuhara, O. (652) 346
McGeer, P.L., see Yasuhara, O. (652) 346
Mekaouche, M., see Siaud, P. (652) 273
Mevissen, M., see Baran, H. (652) 195
Micheau, J., see Marighetto, A. (652) 120
Mizukami, S., see Hoshi, Y. (652) 257
Montgomery, J.C., see Nicholson, L.F.B. (652) 40
Morrison, S.F., Cravo, S.L. and Wilfehrt, H.M.
Pontine lesions produce apneusis in the rat (652) 83

Nagy, J.I., see Hossain, M.Z. (652) 311
Nicholson, L.F.B., Montgomery, J.C. and Faull, R.L.M.
GABA, muscarinic cholinergic, excitatory amino acid, neurotensin and opiate binding sites in the octavolateralis column and cerebellum of the skate *Raja nasuta* (Pisces: Rajidae) (652) 40
Nozaki, M., see Horiike, K. (652) 297

Okada, E., see Katafuchi, T. (652) 164
Olschowka, J.A., see Sladek, C.D. (652) 207
O'Regan, M.H., see Phillis, J.W. (652) 353

Patkina, N.A., see Kuzmin, A.V. (652) 1
Peeling, J., see Hossain, M.Z. (652) 311
Perkins, L.M., see Phillis, J.W. (652) 353
Phillis, J.W., Smith-Barbour, M., Perkins, L.M. and O'Regan, M.H.
Indomethacin modulates ischemia-evoked release of glutamate and adenosine from the rat cerebral cortex (652) 353
Postmes, P., see De Bruin, J.P.C. (652) 323
Pyapali, G.K. and Turner, D.A.
Denervation-induced dendritic alterations in CA1 pyramidal cells following kainic acid hippocampal lesions in rats (652) 279

Rabejac, D., Raymond, J. and Dechesne, C.J.
Characterization of different neuron populations in mouse statoacoustic ganglion cultures (652) 249
Raymond, J., see Rabejac, D. (652) 249
Rees, H., Ang, L.-C., Shul, D.D., George, D.H., Begley, H. and McConnell, T.
Increase in enkephalin-like immunoreactivity in hippocampi of adults with generalized epilepsy (652) 113
Revest, P.A., Jones, H.C. and Abbott, N.J.
Transendothelial electrical potential across pial vessels in anaesthetised rats: a study of ion permeability and transport at the blood–brain barrier (652) 76
Richardson, P.M., see Lu, X. (652) 174
Robinson, B., see Amir, S. (652) 341
Ruan, R.-S., Leong, S.-K. and Yeoh, K.-H.
Expression of NADPH-diaphorase activity in the facial motoneurons after compression of the facial nerve in the albino rat (652) 350

Sànchez-Santed, F., see De Bruin, J.P.C. (652) 323
Sato, N., see Hori, K. (652) 304
Schipper, H.M., Desjardins, G.C., Beaudet, A. and Brawer, J.R.
The 21-aminosteroid antioxidant, U74389F, prevents estradiol-induced depletion of hypothalamic β-endorphin in adult female rats (652) 161
Seong, J.Y., see Cho, B.N. (652) 177
Shafton, A.D., Fernley, R.T. and McAllen, R.M.
Is CRF a ganglionic transmitter or modulator in the cat sudomotor pathway? (652) 129
Shul, D.D., see Rees, H. (652) 113
Siaud, P., Mekaouche, M., Maurel, D., Givalois, L. and Ixart, G.
Superior cervical ganglionectomy suppresses circadian corticotropic rhythms in male rats in the short term (5 days) and long term (10 days) (652) 273
Skamene, E., see Lu, X. (652) 174
Sladek, C.D. and Olschowka, J.A.
Dehydration induces Fos, but not increased vasopressin mRNA in the supraoptic nucleus of aged rats (652) 207
Smith-Barbour, M., see Phillis, J.W. (652) 353
Smith, D.J., see Urban, M.O. (652) 9
Smith, D.W., Erre, J.-P. and Aran, J.-M.
Rapid, reversible elimination of medial olivocochlear efferent function following single injections of gentamicin in the guinea pig (652) 243
Soinila, S., see Vanhatalo, S. (652) 107
Steffensen, S.C., Campbell, I.L. and Henriksen, S.J.
Site-specific hippocampal pathophysiology due to cerebral overexpression of interleukin-6 in transgenic mice (652) 149
Steinmetz, J.E., see Gould, T.J. (652) 98
Sutherland, G.R., see Hossain, M.Z. (652) 311

Taché, Y., see Bonaz, B. (652) 56
Tai, T.-C., MacLusky, N.J. and Adamson, S.L.
Ontogenesis of prostaglandin E_2 binding sites in the brainstem of the sheep (652) 28
Take, S., see Katafuchi, T. (652) 164
Takei, N. and Endo, Y.
Ca^{2+} ionophore-induced apoptosis on cultured embryonic rat cortical neurons (652) 65
Tamura, M., see Hoshi, Y. (652) 257
Tegtmeier, F., see Xie, Y. (652) 216
Tojo, H., see Horiike, K. (652) 297
Tortorella, A., see Halonen, T. (652) 145
Turner, D.A., see Pyapali, G.K. (652) 279

Urban, M.O. and Smith, D.J.
Nuclei within the rostral ventromedial medulla mediating morphine antinociception from the periaqueductal gray (652) 9

Vanderwolf, C.H., see Heale, V.R. (652) 235
Van der Zee, E.A. and Luiten, P.G.M.
Cholinergic and GABAergic neurons in the rat medial septum express muscarinic acetylcholine receptors (652) 263
Vanhatalo, S. and Soinila, S.
NADPH-diaphorase activity and its colocalization with transmitters and neuropeptides in the postganglionic neurons of the rat superior cervical ganglion (652) 107

Waga, S., see Hori, K. (652) 304
Wasterlain, C.G., see Akira, T. (652) 190
Watanabe, T., Clark, W.G., Ceriani, G. and Lipton, J.M.
Elevation of plasma ACTH concentration in rabbits made febrile by systemic injection of bacterial endotoxin (652) 201
Wilfehrt, H.M., see Morrison, S.F. (652) 83
Wilffert, B., see Xie, Y. (652) 216
Wins, P., see Bettendorff, L. (652) 157
Woodside, B., see Amir, S. (652) 341

Xie, Y., Dengler, K., Zacharias, E., Wilffert, B. and Tegtmeier, F.
Effects of the sodium channel blocker tetrodotoxin (TTX) on cellular ion homeostasis in rat brain subjected to complete ischemia (652) 216

Yamaguchi, I., see Maeda, N. (652) 181
Yasuhara, O., Aimi, Y., McGeer, E.G. and McGeer, P.L.
Expression of the complement membrane attack complex and its inhibitors in Pick disease brain (652) 346
Yeoh, K.-H., see Ruan, R.-S. (652) 350
Yodoi, J., see Hori, K. (652) 304

Zacharias, E., see Xie, Y. (652) 216
Zhang, J. and Freeman, A.S.
Electrophysiological effects of cholecystokinin on neurons in rat substantia nigra pars reticulata (652) 154
Zrebeet, H., see Halonen, T. (652) 145
Zvartau, E.E., see Kuzmin, A.V. (652) 1